

CENTERS FOR MEDICARE & MEDICAID SERVICES  
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS  
CERTIFICATE OF COMPLIANCE

LABORATORY NAME AND ADDRESS  
IGENOMIX  
30 MONTGOMERY STREET  
SUITE 240  
JERSEY CITY, NJ 07302

CLIA ID NUMBER  
31D2160400

EFFECTIVE DATE  
09/30/2021

LABORATORY DIRECTOR  
BRYNN LEVY Ph.D.

EXPIRATION DATE  
09/29/2023

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



*Monique Spruill*  
Monique Spruill, Director  
Division of Clinical Laboratory Improvement & Quality  
Quality & Safety Oversight Group  
Center for Clinical Standards and Quality

27 Certs2\_092022

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>	<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>
CYTOGENETICS (900)	09/30/2019		



FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT [WWW.CMS.GOV/CLIA](http://WWW.CMS.GOV/CLIA)  
OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR  
YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.  
PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.

**CLIA ID Number: 31D2160400**

IGENOMIX  
30 MONTGOMERY STREET  
SUITE 240  
JERSEY CITY, NJ 07302



**STATE AGENCY ADDRESS AND PHONE NUMBER:**

NEW JERSEY DEPT OF HEALTH  
CLINICAL LABORATORY IMPROVEMENT SERVICES (CLIS)  
PO BOX 361  
TRENTON, NJ 08625-0361  
(609)406-6824

**LABORATORY MAILING ADDRESS:**