


EndomeTRIO

The endometrium
matters

by Igenomix®




Igenomix®
WITH SCIENCE ON YOUR SIDE

EMMA & ALICE

Analysis of Infectious Chronic Endometritis Endometrial Microbiome Metagenomic Analysis


Optimization of the endometrial microbiome to improve reproductive success



Why the endometrial microbiome matters

The balance of bacteria in the endometrium is a key factor for successful implantation

HIGHER REPRODUCTIVE SUCCESS →



Pathogenic bacteria

These bacteria cause infection, which is linked to implantation failure and recurrent miscarriage

Staphylococcus, Streptococcus, Enterococcus, Mycoplasma, Ureaplasma, Enterobacteria (Escherichia, Klebsiella), Chlamydia and Neisseria.

ALICE

This test detects chronic endometritis-causing bacteria and recommends appropriate antibiotics*



Dysbiotic bacteria

Microbial imbalance is linked to embryo implantation failure

Bifidobacterium, Prevotella, Sneathia, Atopobium, Veillonella...

EMMA

Provides a complete view of the endometrial microbiome composition, and recommends antibiotic and probiotic treatment, if needed, to restore an optimal microbiome**



Optimal microbiome


A balanced microbiome improves the reproductive prognosis, resulting in increased chance of pregnancy and live births

Lactobacillus

How it works



1 Endometrial sample




2 Next generation sequencing (NGS) analysis



3 The report provides information on the endometrial microbiome and recommends personalized treatment, guided by a clinical microbiologist, which can include:

• Antibiotic therapy

• Probiotics with Lactobacillus to restore an optimal microbiome



4 Embryo transfer into a favorable microbiome


Infographic: Fundamentium

*Moreno et al. Am J Obstet Gynecol 2018; 218(6):602.e1-602.e16


**Moreno et al. Am J Obstet Gynecol 2016; 215(6):684-703.

A complete view of endometrial health

Recent studies led by Igenomix indicate that the endometrium is a key factor for reproductive success.



Three tests using only one endometrial sample




ALICE

Analysis of Infectious Chronic Endometritis

Detects pathogenic bacteria

ALICE detects chronic endometritis, a condition affecting 30% of infertile patients that is linked to implantation failure and recurrent miscarriage



EMMA

Endometrial Microbiome Metagenomic Analysis

Indicates the endometrial microbiome balance

EMMA provides information on the proportions of all endometrial bacteria, including those linked to higher pregnancy rates. Includes ALICE



ERA

Endometrial Receptivity Analysis

Determines the window of implantation

ERA establishes the time when the endometrium is receptive, and reports the optimal time for personalized embryo transfer

Analyzes:

Endometrial receptivity

Chronic endometritis

Endometrial flora



EndomeTRIO  includes all three tests

ERA[®] is a diagnostic test that allows a personalized embryo transfer by synchronizing the embryo with the patient's window of implantation.

The cycle begins

Day 14: ovulation



1 Window of implantation

The time when the endometrium is receptive to the embryo

Pre-receptive: before day 19

Theoretical window:

normally between days 19 and 21 of the cycle


Post-receptive: after day 21

Unknown date

The window of implantation is not the same for all women. 3 in every 10 implantation failure patients have a displaced window of implantation.*

2 Genetic analysis


A predictive genetic analysis model of 248 genes to detect endometrial receptivity



3 Report

The results indicate the optimal time for embryo transfer

Personalized window of implantation



4 Personalized embryo transfer

Performed at the optimal time

* Ruiz-Alonso et al, Fertil Steril. 2013

Igenomix[®]
WITH SCIENCE ON YOUR SIDE

www.igenomix.com